Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	639	427/66 and (electroluminescent or luminescent) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/01 11:33
L2	3286	(electroluminescent or EL) and (current with density) and electrode	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 11:34
L3	109	(electroluminescent or EL) and (current with density) and electrode and electrolysis	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 11:34
L4	274	445/24 and (electrode) and (electrolytic polymerization)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 11:57
L5	158	445/24 and (electrode) and (electroly\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 12:23
L6	6	427/487 and (electroluminescent or luminescent or EL) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/01 12:17
L7	54	205/192 and (current or volt\$4 or potential)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/01 12:23
L8	30	445/25 and (electrode) and (electroly\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 12:43
L9	2968	445/24	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 12:43
S1	2213	445/24 and (electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/27 08:20
S2	254	445/24 and (electrode) and (electrolytic polymerization)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 11:57
S 3	2	445/24 and (electrolytic with polymerization)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/27 08:23

				T	r	
S4	3	"445"/\$ and (electrolytic with polymerization)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/27 08:23
S5	3175	(electrolytic with polymerization)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/27 08:23
S6	73	(electrolytic with polymerization) and (electroluminescent or luminescent)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/27 08:24
S7	3	("4175836" "6118573" "6661563").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 09:41
S8	672	427/66 and (electroluminescent or luminescent)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 09:42
S9	606	427/66 and (electroluminescent or luminescent) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/01 11:33
S10	. 3	427/487 and (electroluminescent or luminescent) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/01 12:16
S11	3	("4442185" "5426005" "6447879").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 10:49
S12	0	205/192 and (electroluminescent or luminescent) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 10:49
S13	53	205/192 and (current or volt\$4 or potential)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/01 12:23
S14	5	("20030013280" "6059627" "6129901" "6146227" "6346182").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 11:04
S15	589	205/118 and (current or volt\$4 or potential)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 11:09
S16	22	205/118 and (current or volt\$4 or potential) and (\$luminescent)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 11:35
S17	5	205/317 and (current or volt\$4 or potential) and (\$luminescent)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 11:35
S18	152	205/317 and (current or volt\$4 or potential)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 13:58

S19	4	("5142343" "5485294" "5980349" "6294245").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 13:20
S20	12	(\$luminescent) and (current with density) and (electrolysis with time)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 14:13
S21	24	(\$luminescent) and (electrolysis with time)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 14:14
S22	12	S21 not S20	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 14:17
S23	268	313/504 and ((hole with injecting) with thick\$4) and anode and cathode	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/01 11:33